

## एचपीसीएल बॉयोफ्यूल्स लिमिटेड

(हिन्दुस्तान पेट्रोलियम कॉपोरेशन लिमिटेड के पूर्ण स्वामित्व वाली सहायक कम्पनी)

## **HPCL BIOFUELS LIMITED**

(A wholly owned subsidiary company of Hindustan Petroleum Corporation Ltd.)

पंजीकृत कार्यालय : प्रथम मंजिल, श्री सदन, प्लॉट न. 09, पाटलीपुत्र कॉलोनी, पटना-800013, बिहार Regd. Office :1st Floor, Shree Sadan, Plot No.09, Patliputra Colony, Patna-800013, Bihar दुरमाष/Telephone : 0612 - 2260185 / 2270483, Website : www.hpclbiofuels.co.in, CIN - U24290BR2009GOI014927

## PRICED BID

(To be enclosed in seperate envelope for Price bid as per instructions provided in the tender)

To,

HPCL Biofuels Limited. 1<sup>st</sup> Floor, Shree Sadan, Plot No. 09, Patliputra Colony Patna - 800013, Bihar.

Title: TENDER ENQUIRY NO. HBL/TEN/PUB/21-22/232, DTD. 29/12/2021.

REPAIR AND MAINTENANCE INCLUDING SUPPLY OF STRUCTURAL STEEL FOR CONE OR FIXED ROOF & TWO UPPER SHELL MOLASSES STORAGE TANKS (01 No) AT INTEGRATED HPCL BIOFUELS LIMITED PLANT AT SUGAULI UNDER DISTRICT EAST CHAMPARAN AND LAURIYA WEST CHAMPARAN, BIHAR.

Dear Sir,

We have fully understood the scope, specification, terms & condition of the subject tender. We here by quote our most competative rates as mentioned in the Scehdule of quantities of the tender as below:

Please quote your most competitive rate for Repair and Maintenance including Supply of Structural Steel for Cone or Fixed Roof & two upper Shell Molasses Storage Tanks (01 No) at Integrated HPCL Biofuels Limited Plant at Sugauli under District East Champaran and Lauriya West Champaran, Bihar as mentioned in the table below:

Deliver To :- <u>HPCL Biofuels Ltd. Near Sugauli Railway Station, Sugauli, Dist - East Champaran, Bihar - 845456.</u>

Item No.	Item short Description	Qty	Unit	Unit rate to be written in figures as well as in words	Amount (Rs) to be written in figures as well as in words
1A	DISMANTLING OF CORRODED PORTION OF TANK Dismantling of complete or partial roof/ structural/ shell/ course/ truss if corrode. Retrieving all the existing structural/ shell/ course/ truss, fittings, instrumentations, side rails, etc. by gas cutting/ cold	80	MT	In figures:  Rs Per MT  In words:  Rs Per MT	In figures:  Rs  In words:  Rs  only

	cuttings directed by Inspection/ site engineer and shifting of dismantled roof plates, structural etc. to ground (only scrap to be transported & usual material to be kept for fabrication & erection with painting) to transport and kept properly the same in scrap yard after taking/ recording weight. During the entire job all safety norms to be followed in any case. Note: The measurement of dismantling shall be calculated based as per actual weight. All the labour, tools, machineries etc. in order to complete the job will be contractor's scope. Requirement of heavy equipment or any equipment to be envisaged by Engineer-in- Charge should be arranged separately, if required at no extra cost. Requirement of scaffolding to be envisaged and decided by Engineer-in- Charge as per site requirement and scaffolding item to be arranged no extra cost to HBL.				
2A	SUPPLY SCOPE Supply of all MS Plates/Steel structures/trusses/angles etc made of SAIL/TATA/JINDAL confirming to IS 2062 Gr. A or B required for the job as per the approved fabrication drawing & instructions of EIC. IMR, MTC, Original Invoice, Gate entry & Weighing Slip of the material shall be required for the purpose of billing.	110	MT	In figures:  Rs  Per MT  In words:  Rs  Per MT	In figures:  Rs  In words:  Rs  only
3A	FABRICATION & ERECTION Fabrication Scope: The scope for fabrication includes design of tanks for dismantled portion as per API 650/IS-803, preparation of all fabrication	110	MT	In figures:  Rs Per MT  In words:  Rs Per MT	In figures: Rs In words: Rs only

drawings & obtaining approval		
of HBL before proceeding		
with fabrication works at site.		
No extra payment will be paid		
for design & drawings.		
Preparation of all GA, Plate		
cuttings schedule, fabrication		
drawings and obtaining		
HBL/Consultant's approval,		
Fabrication of MS storage		
tanks as per the approved		
drawings, fabrication and		
installation of all items for		
restoration of tanks as per		
drawings, supply and		
fabrication of cleats, wedges		
and clamps, supply of all		
materials as per Scope of		
work, welding and other		
consumables, bolts, nuts and		
gaskets, labour, equipment,		
machinery, tools, tackles, etc		
to complete the work in all		
respects as per approved		
drawings, specifications,		
Codes, standards, Scope of		
work and instructions of HBL		
Engineer-in-Charge.		
Fabrication, Erection &		
Welding of Shell		
Plates/trusses/roof required for		
fixed roof tanks of specified		
sizes as per approved		
drawings. (For shell plates,		
wind girders, other structural		
requirement): Scope includes		
preparation of fabrication		
drawings and obtaining HBL		
approval, fabrication and		
erection of damaged portion of		
Shell plates, plate fabricated		
wind girders, bearing plates,		
roof trusses, plates & pads for		
structural of all items as per		
drawings, supply and		
fabrication of cleats and		
wedges and clamps, supply of		
all materials as per Scope of		
work, welding and other		

consumables, all bolts, nuts and gaskets (including bolts,	
nuts, gaskets for free issue	
valves / flanges etc.), labour,	
equipment,	
machinery, tools, tackles, etc	
to complete the work in all	
respects as per approved	
drawings, specifications,	
Codes, standards, Scope of	
work and instructions of HBL	
Engineer-in-Charge. (Weights	
of nuts, bolts etc shall not be	
considered for payment, and is	
deemed to be included in the	
item rates). Transportation of	
MS Plate from storage points	
to worksite, cleaning, cutting	
in required sizes, rolling, edge	
preparing, laying shell	
courses/roof plates for the	
storage tanks, bulged portions	
to be cut and new plate to be	
welded, flushing with existing	
structures and continuous	
welding, installation, fixing of	
various types of manholes,	
nozzles, flanges, gaskets etc.	
incl. all types of fittings, level	
and other fittings, MS Plates,	
roof trusses & other structures	
retrieved during the	
dismantling of the corroded	
roof/Shell, fixing back the side	
railings of dismantled along	
with the corroded roof plates &	
other types of testing, flushing,	
cleaning, pickling of welded	
joints where required by the	
specification and completing	
all such works in all respect for	
restoring the tanks to the	
original condition and	
commissioning as per	
drawings, specifications,	
relevant code (API-650/ API-	
653 IS-803) and instruction of	
the Engineer-in-Charge and	
Inspection Manager.	

4A	Note: The MS plates for bottom, shell, roof, extension plates, reinforcement pads plates for shell manholes, foam dam shall be paid separately as per drawing and specifications. All other labour and materials etc. shall be arranged by the contractor at his cost.  Internal Painting Supply and applying on the internal surfaces of the tank shell & bottom plates, appurtenances, accessories etc. with one coat of Berger make EPILUX 13 HB primer to 60-micron DFT and two coats of Berger make EPILUX 555 CTE Black 1st quality each of 100-micron DFT etc. complete as per manufacturer specifications.  ASIAN/NEROLAC make equivalents of above paints as approved by the Engineer-incharge may also be used.  (Measurement shall be taken for Plan area only without any Laps and the internal Surface of Shell Plates shall be taken for Measurement purpose)	2500	SQM	In figures:  Rs Per Sqm In words:  Rs Per Sqm	In figures:  Rs In words:  Rs only
5A	External Painting Supply and applying on the external surfaces of the tank (incl. stairways, landing platforms, roof, manholes, nozzles, appurtenances & other accessories on the external surfaces) with two coats of Berger make BISON HB Zinc Phosphate or equivalent primer each of 35-micron DFT and two coats of high gloss synthetic enamel paint of 1st quality approved make & colour each of 25-micron DFT complete as per attached / manufacturer's specifications.	4500	SQM	In figures:  RsPer Sqm In words:  Rs Per Sqm	In figures:  Rs In words:  Rs only

	(Only Shell Surface shall be		
	measured for Payment		
	purpose, however		
	measurements shall be taken		
	for roof, Primary and		
	Secondary Wind Girders)		
		In Figures:	
		D1	
		Rsonly	
A	SUB TOTAL (BASIC)	In words	
		Rs	only
		KS	Omy
	TAXES/DUTIES/LEVIES (EXT	TRA IF ANY) TO BE QUOTED BELOW)	
		In Figures:	
	TAYES (CST ETC)		
	TAXES (GST, ETC.) Please mention type of	Rsonly	
В	Please mention type of	T 1	
	taxes:	In words	
		Rs	only
		10	0111y
		In Figures:	
	Any other	Rsonly	
C			
C	(Please write N/A if not applicable)	In words	
		Rs.	only
		NS	Omy
		In Figures:	
		in Figures.	
D		Rsonly	
	Grand Total (a+b+c)		
	()	In words	
		Rs.	only.
		NS	_only
		1	

Vendor may quote either for both part i.e. Part - A & B or any one part.

Evaluation of Part-A shall be done on overall basis for accessing the successful bidder which shall be based on the landed cost including all taxes, duties, levies etc. applicable.

NOTE: Note in case any of the above fields (i.e. from "a" & "b") is left blank without mentioning taxes, levies, duties component etc. then the applicable taxes, levies, duties, or any statutory charges if found applicable during the billing time shall be considered inclusive of the rate quoted by the tenderer and shall be borne by the tenderer. Please note no extra cost shall be re-imbursed to the contractor/supplier.

Items given above are tentative. HBL will have option to execute the item which is necessary as per their opinion at their discretion. HBL will have right to drop the item /items which is/are found not required, even at latter stage after placement of PO. Payment will be made only for the items which are actually executed. No claim for extra payment will be entertained.

Bidders have to ensure that Bid Price is not mentioned anywhere in the Techno Commercial bid, failing which the bid is liable to be rejected.

Please Note: The GST should be clearly mentioned in the above fields. In the event the GST/taxes fields are left blank then the Unit Rate quoted by the party shall be understood and shall be evaluated inclusive of all applicable taxes and Duties.

## PART-B - LAURIYA

Please quote your most competitive rate for Repair and Maintenance Including Supply of Structural Steel for Cone or Fixed Roof & Two Upper Shell Molasses Storage Tanks (01 No) at Integrated HPCL Biofuels Limited Plant at Lauriya West Champaran, Bihar.

<u>Service Required at : HBL, Integrated Sugar, Ethanol and Co-gen Plant at Lauriya, Vill - Lauriya, Lauriya - Bagaha Highway, Dist. West Champaran, Bihar - 845453.</u>

Item No.	Item short Description	Qty	Unit	Unit rate to be written in figures as well as in words	Amount (Rs) to be written in figures as well as in words
18	DISMANTLING OF CORRODED PORTION OF TANK Dismantling of complete or partial roof/ structural/ shell/ course/ truss if corroded: Retrieving all the existing structural/ shell/ course/ truss, fittings, instrumentations, side rails, etc. by gas cutting/ cold cuttings directed by Inspection/ site engineer and shifting of dismantled roof plates, structural etc. to ground (only scrap to be transported & usual material to be kept for fabrication & erection with painting) to transport and kept properly the same in scrap yard after taking/ recording weight. During the entire job all safety norms to be followed in any case. Note: The measurement of dismantling shall be calculated based as per actual weight. All the labour, tools, machineries etc. in order to complete the job will be contractor's scope. Requirement of heavy equipment or any equipment to be envisaged by Engineer-in- Charge should be arranged separately, if required at no extra cost. Requirement of scaffolding to be envisaged	65	МТ	In figures:  RsPer MT In words:  Rs Per MT	In figures:  Rs In words:  Rs only

2B	and decided by Engineer-in-Charge as per site requirement and scaffolding item to be arranged no extra cost to HBL.  SUPPLY SCOPE Supply of all MS Plates/Steel structures/trusses/angles etc made of SAIL/TATA/JINDAL confirming to IS 2062 Gr. A or B required for the job as per the approved fabrication drawing & instructions of EIC. IMR, MTC, Original Invoice, Gate entry & Weighing Slip of the material shall be required for the purpose of billing.	70	МТ	In figures:  Rs Per MT In words:  Rs Per MT	In figures:  Rs In words:  Rs only
3B	FABRICATION & ERECTION  Fabrication Scope: The scope for fabrication includes design of tanks for dismantled portion as per API 650/IS-803, preparation of all fabrication drawings & obtaining approval of HBL before proceeding with fabrication works at site. No extra payment will be paid for design & drawings.  Preparation of all GA, Plate cuttings schedule, fabrication drawings and obtaining HBL/Consultant's approval, Fabrication of MS storage tanks as per the approved drawings, fabrication and installation of all items for restoration of tanks as per drawings, supply and fabrication of cleats, wedges and clamps, supply of all materials as per Scope of work, welding and other consumables, bolts, nuts and gaskets, labour, equipment, machinery, tools, tackles, etc to complete the work in all respects as per approved drawings, specifications,	70	MT	In figures:  RsPer MT In words: Rs Per MT	In figures: Rs In words: Rs only

Codes, standards, Scope of		
work and instructions of HBL		
Engineer-in-Charge.		
Fabrication, Erection &		
Welding of Shell		
Plates/trusses/roof required for		
fixed roof tanks of specified		
sizes as per approved		
drawings. (For shell plates,		
wind girders, other structural		
requirement): Scope includes		
preparation of fabrication		
drawings and obtaining HBL		
approval, fabrication and		
erection of damaged portion of		
Shell plates, plate fabricated		
wind girders, bearing plates,		
roof trusses, plates & pads for		
structural of all items as per		
drawings, supply and		
fabrication of cleats and		
wedges and clamps, supply of		
all materials as per Scope of		
work, welding and other		
consumables, all bolts, nuts		
and gaskets (including bolts,		
nuts, gaskets for free issue		
valves / flanges etc.), labour,		
equipment,		
machinery, tools, tackles, etc		
to complete the work in all		
respects as per approved		
drawings, specifications,		
Codes, standards, Scope of		
work and instructions of HBL		
Engineer-in-Charge. (Weights		
of nuts, bolts etc shall not be		
considered for payment, and is		
deemed to be included in the		
item rates). Transportation of		
MS Plate from storage points		
to worksite, cleaning, cutting		
in required sizes, rolling, edge		
preparing, laying shell		
courses/roof plates for the		
storage tanks, bulged portions		
to be cut and new plate to be		
welded, flushing with existing		
structures and continuous		
structures and continuous		

	welding, installation, fixing of various types of manholes, nozzles, flanges, gaskets etc. incl. all types of fittings, level and other fittings, MS Plates, roof trusses & other structures retrieved during the dismantling of the corroded roof/Shell, fixing back the side railings of dismantled along with the corroded roof plates & other types of testing, flushing, cleaning, pickling of welded joints where required by the specification and completing all such works in all respect for restoring the tanks to the original condition and commissioning as per drawings, specifications, relevant code (API-650/ API-653 IS-803) and instruction of the Engineer-in-Charge and Inspection Manager.  Note: The MS plates for bottom, shell, roof, extension plates, reinforcement pads plates for shell manholes, foam dam shall be paid separately as per drawing and specifications. All other labour and materials etc. shall be arranged by the				
	etc. shall be arranged by the contractor at his cost.				
4B	Internal Painting Supply and applying on the internal surfaces of the tank shell & bottom plates, appurtenances, accessories etc. with one coat of Berger make EPILUX 13 HB primer to 60-micron DFT and two coats of Berger make EPILUX 555 CTE Black 1st quality each of 100-micron DFT etc. complete as per manufacturer specifications. ASIAN/NEROLAC make equivalents of above paints as approved by the Engineer-in-	1250	SQM	In figures:  Rs Per Sqm In words:  Rs Per Sqm	In figures:  Rs  In words:  Rs  only

	charge may also be used. (Measurement shall be taken for Plan area only without any					
	Laps and the internal Surface of Shell Plates shall be taken for Measurement purpose)					
5B	External Painting Supply and applying on the external surfaces of the tank (incl. stairways, landing platforms, roof, manholes, nozzles, appurtenances & other accessories on the external surfaces) with two coats of Berger make BISON HB Zinc Phosphate or equivalent primer each of 35-micron DFT and two coats of high gloss synthetic enamel paint of 1st quality approved make & colour each of 25-micron DFT complete as per attached / manufacturer's specifications. (Only Shell Surface shall be measured for Payment purpose, however measurements shall be taken for roof, Primary and Secondary Wind Girders)	2250	SQM	In figures:  Rs Per Sqm In words:  Rs Per Sqm	In words:	
A	SUB TOTAL (BASIC)			In Figures:  Rs In words  Rs	only	only
	TAXES/DUTIES	/LEVII	ES (EXT	RA IF ANY) TO BE	QUOTED BELOW)	
В	TAXES ( GST, ETC.) Please mention type of taxes:			In Figures: Rs In words		
				Rs		only
C	Any other			In Figures:	only	
	(Please write N/A if not application of the control			In words		
	Trease write TVA if not applied	udic)				only

		In Figures:	
		Rsonly	
D	Grand Total (a+b+c)	In words	
		Rs	only

Vendor may quote either for both part i.e. Part - A & B or any one part.

Evaluation of Part-B shall be done on overall basis for accessing the successful bidder, which shall be based on the landed cost including all taxes, duties, levies etc. applicable.

NOTE: Note in case any of the above fields (i.e. from "a" & "b") is left blank without mentioning taxes, levies, duties component etc. then the applicable taxes, levies, duties, or any statutory charges if found applicable during the billing time shall be considered inclusive of the rate quoted by the tenderer and shall be borne by the tenderer. Please note no extra cost shall be re-imbursed to the contractor/supplier.

Items given above are tentative. HBL will have option to execute the item, which is necessary as per their opinion at their discretion. HBL will have right to drop the item /items which is/are found not required, even at latter stage after placement of PO. Payment will be made only for the items, which are actually executed. No claim for extra payment will be entertained.

Bidders have to ensure that Bid Price is not mentioned anywhere in the Techno Commercial bid, failing which the bid is liable to be rejected.

Please Note: The GST should be clearly mentioned in the above fields. In the event the GST/taxes fields are left blank then the Unit Rate quoted by the party shall be understood and shall be evaluated inclusive of all applicable taxes and Duties.